


DOLOR NEUROPÁTICO OROFACIAL

IMPORTANCIA DEL DIAGNÓSTICO DIFERENCIAL


MOTIVO DE CONSULTA

HISTÓRICO DE TRATAMIENTOS

Dolor en los dientes anteriores superiores " como si me estuvieran golpeando constantemente"



Endodoncia + extracción dental SIN mejora clínica



Cirugía maxilar SIN mejora clínica



PRUEBAS DIAGNÓSTICAS

Anestesia local

TRATAMIENTO PARA DOLOR NEUROPÁTICO DEL NERVIO NASOPALATINO

Primera Opción farmacológica - carbamazepina/oxcarbazepina



Bloqueo nervioso

Psicología por ideas suicidas



Paciente autoriza su difusión para fines académicos

- Wirz S, Ellerkmann RK, Buechaler M, Putensen C, Nadstawek J, Wartenberg HC. Management of chronic orofacial pain: a survey of general dentists in German university hospitals. Pain Medicine 2010;11(3):416-24. DOI: 10.1111/j.1526-4637.2010.00805.x. [Links]
- Tomoyasu Y, Higuchi H, Mori M, Takaya K, Honda Y, Yamane A, et al. Chronic orofacial pain in dental patients: retrospective investigation over 12 years. Acta Med Okayama. 2014;68(5):269-75. DOI: 10.18926/AMO/52895. [Links]
- Horst OV, Cunha-Cruz J, Zhou L, Manning W, Mancl L, DeRouen TA. Prevalence of pain in the orofacial regions in patients visiting general dentists in the Northwest Practice-based Research Collaborative in Evidence-based DENTistry research network. J Am Dent Assoc. 2015;146(10):721-8. DOI: 10.1016/j.adaj.2015.04.001. [Links]